

MFS-LMT-Talkback FIRE ALARM CONTROL PANEL



PRODUCT OVERVIEW :-

MFS Protection provides professional fire alarm inspections, and repairs to many major product lines. Our firm would be pleased to provide a complete certification and testing program for any of your facilities. With a focus that is mainly customer based, supplying inspections, monitoring, and service, we also provide complete fire alarm systems installation while working with exceptional brand names within the industry.

We work in all industries from residential to commercial and industrial.

FEATURES:-

- Talk back unit (Simplex type).
- Talk back unit as per IS: 2189.
- Prevention for unauthorized uses.
- Best use in multistory building.
- Simple operation (Press to talk unit).



OPERATION:-

1.PRESS HERE :-

256 Talkback are serially connected to the 256 panel. If “**Press here**” key press. the panel goes in fire condition and the particular zone number will display on Panel.

2.MIC :-

To convey message use mic of talkback. Press and hold “**MIC**” key to use mic of talkback.

MAINTENANCE:-

- Speaker audio check.
- Cable continuity inspection.
- Cleaning with dry cloth only.

SAFETY INSTRUCTIONS:-

- Do not open during operation.
- Do not paint over speaker grill.
- Do not block mic opening.

- Operate only during emergency.

MECHANICAL SPECIFICATIONS:-


Material	ABS
Colour	RED
Mounting	Wall Mounted
Dimensions	Approx. L 200 x H 125 x W 55mm
Weight	600 grm

ELECTRICAL SPECIFICATION:-

Input Voltage	100 V AC, 5 V DC
Temperature	-5° C to +60°
Humidity	0 to 95 % Relative Humidity, Non Condensing.



NOTIFICATION APPLIANCE CIRCUITS:-



WIRING DAIGRAM:-

